




































































Design	Material	d	D	H	H1	L	S	Brand	Details
 N	90 NBR 109	25	42	8.5	4.25	-	-	PINPSEALS	
 OMK MR	PTFE C104	370.5	395	7.7	7.7	7.7	12.25	PINPSEALS	
 N	90 NBR 109	19	34	8	4	9	7.5	PINPSEALS	
 N	90 NBR 109	45	57	6	3	7	6	PINPSEALS	
 N	90 NBR 109	36	46	6	3	7	5	PINPSEALS	
 N	90 NBR 109	30	40	5	2.5	6	5	PINPSEALS	
 N	90 NBR 109	20	33	6	3	-	-	PINPSEALS	
 N	90 NBR 109	15	22	4	2	4.7	3.5	PINPSEALS	
 N	90 NBR 109	16	22	6	3	-	-	PINPSEALS	
 N	90 NBR 109	25	38	7	3.5	8	6.5	PINPSEALS	
 HDP330	PA 4112	169	190	7.8	7.8	8.1	10.5	PINPSEALS	
 N	90 NBR 109	18	30	6	3	7	6	PINPSEALS	

	N	90 NBR 109	5	11	5	2.8	6	3	PINPSEALS	
	NA300	94 AU 925	130	150	15	15	16	10	PINPSEALS	
	AUN100	94 AU 925	20	30	8	-	9	5	PINPSEALS	
	TOF	88 NBR 101	25.4	25.4	5	1.5	1.5	12.7	PINPSEALS	
	N	90 NBR 109	110	130	10	5	11	10	PINPSEALS	
	NA250	80 NBR 878	115	140	15	15	16	12.5	PINPSEALS	
	TMF	88 NBR 101	50	75	10	2.5	2.5	12.5	PINPSEALS	
	TOF	88 NBR 101	60	60	16	4	4	30	PINPSEALS	
	AUN	94 AU 925	6	15	8	4	9	4.5	PINPSEALS	
	N	90 NBR 109	110	130	10	5	11	10	PINPSEALS	
	TOF	88 NBR 101	60	60	16	4	4	30	PINPSEALS	
	N100	90 NBR 109	15	30	10	-	11	7.5	PINPSEALS	
	N	90 NBR 109	90	105	7.5	3.7	8.5	7.5	PINPSEALS	







 AUN100	94 AU 925	125	145	15	-	16	10	PINPSEALS	 
 TOF	88 NBR 101	10	30	10	2.5	2.5	10	PINPSEALS	 
 AUN100	94 AU 925	65	80	12	-	13	7.5	PINPSEALS	 
 N	90 NBR 109	60	68	8	4.5	9	4	PINPSEALS	 
 N	90 NBR 109	180	200	10	5	11	10	PINPSEALS	 
 N100	90 NBR 109	60	80	12	6.5	13	10	PINPSEALS	 
 N100	90 NBR 109	18	30	10	5.5	11	6	PINPSEALS	 
 N100	90 NBR 109	75	95	12	-	13	10	PINPSEALS	 
 TOF	88 NBR 101	16	38	8	2.5	2.5	11	PINPSEALS	 
 TMF	88 NBR 101	35	60	12	3	3	12.5	PINPSEALS	 
 AUN	94 AU 925	23	35	10	5	-	-	PINPSEALS	 
 AUN	94 AU 925	14	22	6	3.5	7	4	PINPSEALS	 
 TOF	88 NBR 101	22	70	9	2	2	24	PINPSEALS	 



























	TOF	88 NBR 101	10	20	5	2	2	5	PINPSEALS	
	N	90 NBR 109	10	18	5	2.5	6	4	PINPSEALS	
	AUN100	94 AU 925	110	130	15	-	16	10	PINPSEALS	
	AUN100	94 AU 925	160	180	15	9.5	16	10	PINPSEALS	
	AUN100	94 AU 925	30	40	10	-	11	5	PINPSEALS	
	TOF	88 NBR 101	25.4	25.4	5	1.5	1.5	12.7	PINPSEALS	
	AUN	94 AU 925	12	25	8	4	9	6.5	PINPSEALS	
	TOF	88 NBR 101	50	80	10	2.5	2.5	15	PINPSEALS	
	N100	90 NBR 109	50	65	12	7	13	7.5	PINPSEALS	
	N	90 NBR 109	50	60	10	6	11	5	PINPSEALS	
	N	90 NBR 109	85	100	7.5	3.7	8.5	7.5	PINPSEALS	
	N100	90 NBR 109	10	25	10	-	11	7.5	PINPSEALS	
	AUN	94 AU 925	25	42	8.5	4.25	9.5	8.5	PINPSEALS	


	AUN	94 AU 925	40	50	8	5	9	5	PINPSEALS	 
	AUN	94 AU 925	20	36	8	4	9	8	PINPSEALS	 
	N	90 NBR 109	42	50	6	3	7	4	PINPSEALS	 
	AUN100	94 AU 925	55	70	12	-	13	7.5	PINPSEALS	 
	N100	90 NBR 109	52	72	12	-	13	10	PINPSEALS	 
	N100	90 NBR 109	42	62	12	-	13	10	PINPSEALS	 
	N100	90 NBR 109	50	65	12	7	13	7.5	PINPSEALS	 
	N	90 NBR 109	50	60	10	6	11	5	PINPSEALS	 
	N	90 NBR 109	85	100	7.5	3.7	8.5	7.5	PINPSEALS	 
	AUN100	94 AU 925	75	85	12	-	13	5	PINPSEALS	 
	AUN100	94 AU 925	40	55	10	-	11	7.5	PINPSEALS	 
	AUN100	94 AU 925	70	80	12	-	13	5	PINPSEALS	 
	AUN100	94 AU 925	12	25	10	-	11	6.5	PINPSEALS	 










 AUN100	94 AU 925	125	145	15	-	16	10	PINPSEALS	
 TOF	88 NBR 101	10	30	10	2.5	2.5	10	PINPSEALS	
 AUN100	94 AU 925	65	80	12	-	13	7.5	PINPSEALS	
 N	90 NBR 109	60	68	8	4.5	9	4	PINPSEALS	
 N	90 NBR 109	180	200	10	5	11	10	PINPSEALS	
 N100	90 NBR 109	60	80	12	6.5	13	10	PINPSEALS	
 N100	90 NBR 109	18	30	10	5.5	11	6	PINPSEALS	
 N100	90 NBR 109	75	95	12	-	13	10	PINPSEALS	
 TOF	88 NBR 101	16	38	8	2.5	2.5	11	PINPSEALS	
 TMF	88 NBR 101	35	60	12	3	3	12.5	PINPSEALS	
 AUN	94 AU 925	23	35	10	5	-	-	PINPSEALS	
 N	90 NBR 109	90	105	7.5	3.7	8.5	7.5	PINPSEALS	
 TDUOH	88 NBR 101	10	45	25	-	1.5	17.5	PINPSEALS	

 TDUOH	88 NBR 101	12	70	30	-	1.5	29	PINPSEALS	
 NA250	80 NBR 878	75	90	12	12	13	7.5	PINPSEALS	
 AUN100	94 AU 925	55	70	12	-	13	7.5	PINPSEALS	
 N100	90 NBR 109	115	140	18	-	19	12.5	PINPSEALS	
 N100	90 NBR 109	100	125	15	-	16	12.5	PINPSEALS	
 N100	90 NBR 109	52	72	12	-	13	10	PINPSEALS	
 N100	90 NBR 109	42	62	12	-	13	10	PINPSEALS	
 HDP330	PA 4112	169	190	7.8	7.8	8.1	10.5	PINPSEALS	
 NA300	94 AU 925	40	50	10	10	11	5	PINPSEALS	
 TFMA	PTFE 177023	77.8	90	7.3	7.3	7.5	6.1	PINPSEALS	
 OMKE	PTFE B602	29.3	40	4	4	4.2	5.35	PINPSEALS	
 OMKS	PTFE GM201	330	360	14.5	14.5	15	15	PINPSEALS	
 OMKMR	PTFE GM201	84.5	100	5.9	5.9	5.9		PINPSEALS	

	FOA	PTFE F56110	70.6	80	6.6	-	4.7	-	PINPSEALS	
	OMKMR	PTFE B602	27.5	35	3	3	3	3.75	PINPSEALS	
	SK300	98 AU 928	99	120	7.8	7.8	8.1	10.5	PINPSEALS	
	PU83	95 AU V142	57.2	65	5	5	5.8	3.9	PINPSEALS	
	L43	80 NBR B281	34	50	26.7	20.5	20.5	8	PINPSEALS	
	OMKMR	PTFE B602	239	260	7.7	7.7	7.7	10.5	PINPSEALS	
	OMKMR	PTFE B602	52	63	4	4	4	5.5	PINPSEALS	
	HDP330	PA 4112	159	180	7.8	7.8	8.1	10.5	PINPSEALS	
	OMKMR	PTFE B602	259	280	7.7	7.7	7.7	10.5	PINPSEALS	
	T18	95 AU V142	40	55	9.3	9.3	9.5	7.5	PINPSEALS	
	PU83	95 AU V142	69.6	75	5.5	5.5	6.5	2.7	PINPSEALS	
	NA150	80 NBR 878	6	12	4	4	4.5	3	PINPSEALS	
	PU83	95 AU V142	80.1	90	6.7	6.7	7.8	4.95	PINPSEALS	

 OMKMR	PTFE C104	370.5	395	7.7	7.7	7.7	12.25	PINPSEALS	
 N	90 NBR 109	19	34	8	4	9	7.5	PINPSEALS	
 N	90 NBR 109	45	57	6	3	7	6	PINPSEALS	
 N	90 NBR 109	36	46	6	3	7	5	PINPSEALS	
 N	90 NBR 109	30	40	5	2.5	6	5	PINPSEALS	
 N	90 NBR 109	20	33	6	3	-	-	PINPSEALS	
 N	90 NBR 109	15	22	4	2	4.7	3.5	PINPSEALS	
 N	90 NBR 109	16	22	6	3	-	-	PINPSEALS	
 N	90 NBR 109	25	38	7	3.5	8	6.5	PINPSEALS	
 NA400	80 NBR 878	60	80	12	12	13	10	PINPSEALS	
 SK320	80 NBR 878	106	120	22.5	-	22.5	-	PINPSEALS	
 OMKMR	PTFE C104	652	680	9	9	9	14	PINPSEALS	
 FOA	PTFE F56110	20.5	25	3.5	-	2.25	-	PINPSEALS	

	AUN	94 AU 925	14	22	8	4.5	9	4	PINPSEALS	
	NA150	80 NBR 878	180	200	14	14	15	10	PINPSEALS	
	AUN100	94 AU 925	80	100	12	7.5	13	10	PINPSEALS	
	N	90 NBR 109	30	45	10	5	11	7.5	PINPSEALS	
	N	90 NBR 109	25	40	6	2.5	7	7.5	PINPSEALS	
	N	90 NBR 109	32	40	4	2	4.7	4	PINPSEALS	
	N100	90 NBR 109	10	25	10	-	11	7.5	PINPSEALS	
	N	90 NBR 109	18	28	8	5.2	9	5	PINPSEALS	
	N	90 NBR 109	36	46	6	3	7	5	PINPSEALS	
	N	90 NBR 109	24	37	6	3	7	6.5	PINPSEALS	
	FOA	PTFE F56110	90.6	100	6.9	-	4.7	-	PINPSEALS	
	AUN	94 AU 925	68	80	6	2.7	7	6	PINPSEALS	
	TOF	88 NBR 101	6	14	5	1.5	1.5	4	PINPSEALS	

	N	90 NBR 109	35	55	10	5	11	10	PINPSEALS	
	AUN100	94 AU 925	70	80	12	-	13	5	PINPSEALS	
	AUN	94 AU 925	6	12	6	3.5	7	3	PINPSEALS	
	N	90 NBR 109	45	58	6.5	3.2	7.5	6.5	PINPSEALS	
	TOF	88 NBR 101	16	28	6	1.5	1.5	6	PINPSEALS	
	TOF	88 NBR 101	16	38	6	2.5	2.5	11	PINPSEALS	
	N	90 NBR 109	22	30	6	3	7	4	PINPSEALS	
	TOF	88 NBR 101	8.2	26	8	2.2	2.2	8.9	PINPSEALS	
	N	90 NBR 109	3	8.5	4	2	4.7	2.75	PINPSEALS	
	NA300	94 AU 925	70	90	12	12	13	10	PINPSEALS	
	NA300	94 AU 925	80	95	12	12	13	7.5	PINPSEALS	
	NA300	94 AU 925	12	22	8	8	9	5	PINPSEALS	
	AUN	94 AU 925	12	18	6	4	7	5	PINPSEALS	

 NA300	94 AU 925	53	63	12	12	13	5	PINPSEALS	
 NA300	94 AU 925	22	32	10	10	11	5	PINPSEALS	
 TOF	88 NBR 101	38.1	38.1	9.4	3	3	19.05	PINPSEALS	
 TFMA	PTFE 177023	32.8	40	3.8	3.8	4	3.6	PINPSEALS	
 TFMA	PTFE 177023	15.9	22	3	3	3.2	3.05	PINPSEALS	
 N100	90 NBR 109	28	48	12	-	13	10	PINPSEALS	
 N100	90 NBR 109	8	16	8	4.5	9	4	PINPSEALS	
 PU83	95 AU V142	42.5	50	5	5	5.8	3.9	PINPSEALS	
 NA150	80 NBR 878	125	140	10	10	11	7.5	PINPSEALS	
 N100	90 NBR 109	45	60	10	-	11	7.5	PINPSEALS	
 PU83	95 AU V142	44.6	50	5.2	5.2	-	2.7	PINPSEALS	
 HDP330	PA 4112	34	45	4	4	4.2	3.57	PINPSEALS	
 TDUOH	88 NBR 101	12	100	35	-	2	44	PINPSEALS	

	AUN	94 AU 925	4	10	4	2	4.7	3	PINPSEALS	
	TDUOH	88 NBR 101	20	150	40	-	2.5	65	PINPSEALS	
	N	90 NBR 109	22	38	8	4	9	8	PINPSEALS	
	N	90 NBR 109	8	14	6	3	7	3	PINPSEALS	
	SK320	80 NBR 878	200	220	31.5	-	31.5	-	PINPSEALS	
	N100	90 NBR 109	25	40	10	-	11	7.5	PINPSEALS	
	AUN	94 AU 925	48	60	9	6	10	6	PINPSEALS	
	TFMA	PTFE 177023	24.8	32	3.8	3.8	4	3.6	PINPSEALS	
	HDP330	PA 4112	49	60	3.95	3.95	4.2	5.5	PINPSEALS	
	N	90 NBR 109	20	30	8	4	9	5	PINPSEALS	
	NA150	80 NBR 878	6	12	4	4	4.5	3	PINPSEALS	
	NA300	94 AU 925	50	70	12	12	13	10	PINPSEALS	
	NA300	94 AU 925	80	100	12	12	13	10	PINPSEALS	